## 9.1 MULTI-FUNCTION INDICATORS

## 9.1.1 HEAVYE HF12 SERIES INDICATOR



#### MULTI-FUNCTION WEIGHT INDICATOR

- ABS housing. ٠
- Maximum resolution 10,000 divisions.
- Supplied with wall bracket.



## 9.1.2 WHITE BIRD I10A SERIES INDICATOR

APPROVED MULTIFUNCTION WEIGHT INDICATORS

- ABS housing.
- Up to 30,000 divisions resolution. ٠
- Wall and column brackets supplied.



M	26 🔀 🤁 🐨 PLU Ibs 🟹 🚵	$\sum$
MODEL	DESCRIPTION	PRICE £
I10A	ABS housing	155.00

#### 9.1.3 HEAVYE HF22 SERIES INDICATORS





VEN


#### MULTIFUNCTION IP67 STAINLESS STEEL WEIGHT INDICATOR Maximum resolution 10,000 divisions. •

- Supplied with wall bracket. •

25	25 🔀 🤁 崎 🦉 📟 🕹	$\sum$
MODEL	DESCRIPTION	PRICE £
HF-22C	Stainless steel housing, wide angle backlit LCD display	195.00
HF-22E	Stainless steel housing, LED display	195.00
EXTRAS	Column bracket	25.00

#### 9.1.4 UWE VBM INDICATOR

- APPROVED INDICATOR WITH LARGE WIDE ANGLE DISPLAY
- Approved to 3,000 divisions.
- Supplied with bracket for wall, bench and column mounting.
- Single or dual range



PLATFORMS & INDI BASES INDI	DICATORS PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
--------------------------------	--------------------------------------	---------------------------	------------	---------	-----------------------------	--------

#### 9.1.5 OHAUS 3000 SERIES INDICATORS








I-D133AW		
MODEL	DESCRIPTION	PRICE £
i-DT33P	ABS housing with steel mounting bracket. Optional rechargeable battery, USB or Ethernet	235.00
i-DT33XW	IP66 stainless steel. Optional USB or Ethernet.	367.00
	Rechargeable battery for i-DT33P	44.00
EXTRAS	USB Kit for i-DT33P & i-DT33XW	71.00
	Ethernet Kit for i-DT33P & i-DT33XW	129.00

### 9.1.6 WHITE BIRD I10S/B SERIES INDICATORS





67

110/240

Stainless steel housing.

BASIC APPROVED INDICATOR

• Up to 30,000 division resolution. Approved divisions 10,000.

- Up to 30,000 divisions resolution.
- Wall and column brackets supplied.

26 + 5



		• ••• <u> </u>
MODEL	DESCRIPTION	PRICE £
I10S	IP66 stainless steel housing	225.00
I10B	IP67 stainless steel housing with reversible front housing for desk mounting	255.00
EXTRAS	Amphenol connectors	50.00
EXIRAS	Blue (240v) or yellow (110v) round plug	20.00

WWW PLU

lbs

## 9.1.7 FM 19I INDICATOR



APPROVED MULTI-FUNCTION INDICATOR WITH FULL NUMERIC KEYPAD While stocks last

- Approved to 10,000 divisions.
- Real time clock.
- Supplied with bracket for wall, bench and column mounting.

l	M 45 💳 🔂 🔾	1 KS232	
MODEL	MAXIMUM RESOLUTION	MAXIMUM BASES	PRICE £
<b>FM19i</b> 60,000		1	235.00

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
----------------------	------------	-----------------------------	---------------------------	------------	---------	-----------------------------	--------

## 9.1.8 UWE WSK INDICATOR



#### STAINLESS STEEL INDICATOR WITH MULTI-SEGMENT CHECKWEIGHER FUNCTIONALITY

- IP67 rating. Alpha numeric keypad for entry of operator and lot numbers.
- Date and time.
- Supplied with wall bracket.

		67 <b>PLU</b> RS232 <b>PLU</b> 30	<b>V</b>
MODEL	MAXIMUM RESOLUTION	MAXIMUM BASES	PRICE £
WSK	30,000	1	325.00

### 9.1.9 UWE W22 INDICATOR

#### MULTI-FUNCTION INDICATOR WITH OPTIONAL INTEGRAL PRINTER

- Dual range capability.
- Alphanumeric lot or serial number entry.
- RS232 with date & time output.

	26] 🛃		$\mathbf{v}$
MODEL	MAXIMUM RESOLUTION	MAXIMUM BASES	PRICE £
W22	30,000	385.00	
	Built-in Tally Roll Printer		165.00
EXTRAS	Wall or Pole Bracket	25.00	
	Box of 40 paper rolls		40.00

## 9.1.10 OHAUS 7000 SERIES INDICATORS

1 2 3 ./& ABC DEF APPROVED MULTIFUNCTIONAL STAINLESS STEEL INDICATOR

- Trans-reflective LCD with white backlight 240 x 96 pixels.
- Up to 50,000 division resolution. Approved divisions 10,000.
- Time and date and dynamic weighing function.

- Supports up to 10 load cells.
- Alphanumeric keypad. Hinged front cover for easy servicing.



M		ıs 関 谋
MODEL	DESCRIPTION	PRICE £
T72XW	IP66 rated stainless steel housing	900.00
	Ethernet Kit	105.00
EXTRAS	USB with I/O Kit	105.00
	COM2 Kit	117.00

# 9 INDICATORS

## 9.1.11 OHAUS 5000 SERIES INDICATORS



#### APPROVED MULTIFUNCTION INDICATOR

- Up to 75,000 divisions resolution. Approved divisions 10,000.
- Backlit LCD display 256 x 80 pixels
- Micro SD slot as standard. Time and date.
- Mains powered with optional rechargeable battery.
- Optional Ethernet, WiFi/Bluetooth, 2<sup>nd</sup> RS232/RS485/USB, I/O and analogue output.





MODEL	DESCRIPTION	PRICE £
TD52P	ABS housing with powder coated bracket	600.00
TD52XW	IP68 stainless steel housing with stainless steel bracket	810.00
	Dust cover TD52P	26.00
	Dust cover TD52XW	37.00
	Rechargeable Battery Kit	135.00
EXTRAS	2 <sup>nd</sup> RS232/RS485/USB Interface Kit	164.00
EATRAS	Analogue Output Kit	208.00
	USB Host and WiFi Dongle	391.00
	I/O with Relay (2 in/4 out)	98.00
	Ethernet Kit	129.00

## 9.2 PARTS COUNTING INDICATORS

## 9.2.1 UWE APC INDICATOR



CLASS III APPROVED COUNTING INDICATOR.

- 1:190,000 internal resolution.
- Negative sampling & counting.
- Automatic piece weight enhancement.
- Dual range available for non-stamped applications.
- Supplied complete with wall bracket. Optional table stand.

	<b>M</b> 25			$\mathbf{v} \geq$
MODEL	MAXIMUM RESOLUTION	APPROVED RESOLUTION	MAXIMUM BASES	PRICE £
APC	15,000	3,000	295.00	
EXTRAS	Table Stand			25.00